



# TABLE AND COUNTER MOUNTING BRACKETS



**PDi-STM-A** single table mount 12" in height

Single table mount. Designed for mounting to a counter top surface and supporting PDi support arms (model 400 or 500). Mounting plate is heavy duty 1/4" thick steel plate, and drilled for "F" feed thru barrel connector (supplied). Extra tall 12" tube height allows television to rotate and clear counter top surface. Permanently lubricated oillite pivot bushing. Standard bushing size in 5/8", 1/2" is available on request. Optional rotational stop kits are available to limit rotation and prevent interference.




**PDi-LTM** low table mount 3" in height

Low table mount. Designed for mounting to a counter top surface and supporting PDi support arms (model 400 or 500). Mounting plate is heavy duty 1/4" thick steel plate, and drilled for "F" feed thru barrel connector (supplied). Three inch height does not allow television to rotate and clear counter top surface. Permanently lubricated oillite pivot bushing. Standard bushing size in 5/8", 1/2" is available on request. This unit is not able to accept a rotational stop kit.

DIAGRAMS ON FOLLOWING PAGES PAGE



# TABLE AND COUNTER MOUNTING BRACKETS



### PDi -1295

· Standard right angle counter mount

#### PDi-1295

Right angle counter mount. Designed for mounting to a counter face surface and supporting PDi support arms (model 400 or 500). Mounting plate is heavy duty1/4" thick steel plate, and drilled for "F" feed thru barrel connector (supplied). Mounting tube is bent away from base to allow clearance for the overhang of a counter top. Permanently lubricated oillite pivot bushing. Standard bushing size in 5/8", 1/2" is available on request. If rotational stop option is required use part # 1295WRS instead.

#### PDi-1295WRS

Right angle counter mount. Designed for mounting to a counter face surface and supporting PDi support arms (model 400 or 500). Mounting plate is heavy duty 1/4" thick steel plate, and drilled for "F" feed thru barrel connector (supplied). Mounting tube is bent away from base to allow clearance for the overhang of a counter top. Permanently lubricated oillite pivot bushing. Standard bushing size in 5/8", 1/2" is available on request. With rotational stop kit installed, rotational stop plate is not removable.

## PDi-1295WRS

 Right angle counter mount with rotational stop

DIAGRAM ON FOLLOWING PAGES PAGE



# TABLE AND COUNTER MOUNTING BRACKETS


## PDi-DTM



Dual table mount. Designed for mounting two arms to a counter top surface and supporting PDi support arms (model 400 or 500). Mounting plate is heavy duty 1/4" thick steel plate, and drilled for two "F" feed thru barrel connector (supplied). Extra tall 12" tube height allows television to rotate and clear counter top surface. Permanently lubricated oillite pivot bushing. Standard bushing size in 5/8", 1/2" is available on request. Two rotational stop kits are included to limit rotation and prevent interference.

### PDi -DTM

- · double table mount
- · two rotational stops
- · stands 12" in height



#### PDi-886C

Standard floor mount. Designed for mounting to the floor top surface and supporting PDi support arms (model 400 or 500). Mounting plate is extra heavy duty 5/8" thick steel plate. Tube is 48" tall allowing the television to be at ideal mounting height. Strong steel gussets at base allow for sturdy and durable mounting. Permanently lubricated oillite pivot bushing. Standard bushing size in 5/8", 1/2" is available on request. Optional rotational stop kits are available to limit rotation and prevent interference.

### **PDi-886C**

- · standard PDI floor mount
- · stands 48" tall
- · supports 400 or 500 series arms
- · weighs 38 lbs.

